

Nezávislé laboratorní testy

Reishi od Mandimu

Abyste měli jistotu, že to, co deklaruje na obalu, skutečně odpovídá obsahu kapsle.



Dvojitá kontrola kvality

Od všech našich výrobců požadujeme certifikáty kvality a nezávadnosti používaných surovin. Tím ale nekončíme. Nad rámec běžných povinností si necháváme hotové produkty dodatečně testovat v nezávislých, akreditovaných laboratořích.

Co potvrdily laboratorní testy?



Nezávislá laboratorní analýza potvrdila vysoký obsah betaglukanů v extraktu z houby reishi



Produkt **splňuje přísné limity pro těžké kovy** stanovené evropskou legislativou

PRVEK	NAMĚŘENÁ HODNOTA (MG/KG)	MAXIMÁLNÍ LIMIT EU (MG/KG)	VÝSLEDEK
OLOVO (PB)	0,012	3,000	● VÝRAZNĚ POD LIMITEM
KADMIUM (CD)	< 0,0050	1,000	● NEDETEKOVÁNO
RTUŤ (HG)	< 0,030	0,100	● NEDETEKOVÁNO
ARZEN (AS)	< 0,10	NESTANOVEN	● NEDETEKOVÁNO
CÍN (SN)	< 0,10	NESTANOVEN	● NEDETEKOVÁNO



Balení **neobsahuje škodlivé mikroorganismy**

MIKROORGANISMUS	NAMĚŘENÁ HODNOTA (CFU/G)	VÝSLEDEK
ESCHERICHIA COLI	< 10	● NEDETEKOVÁNO
KVASINKY	< 10	● NEDETEKOVÁNO
PLÍSNĚ	< 10	● NEDETEKOVÁNO

Na následujících stránkách najdete kompletní laboratorní výsledky z nezávislých akreditovaných laboratoří, ze kterých toto shrnutí vychází.

mandimu



CERTIFICATE OF ANALYSIS

Work Order	: FP2605754-AF	Issue Date	: 30-Mar-2026
Customer	: VERDON CAPITE s.r.o.	Laboratory	: ALS Czech Republic, s.r.o.
Contact	: Mariana Barlet	Contact	: F&P Client Service
Address	: Bělehradská 858/23 Vinohrady 120 00 Praha 2	Address	: Na Harfe 336/9 Prague 9 - Vysocany 190 00 Czech Republic
E-mail	: mariana.barlet@mandimu.com	E-mail	: czsupport.food@alsglobal.com
Telephone	: ----	Telephone	: +420 226 226 998
Project	: ----	Page	: 1 of 2
Order number	: ----	Date Samples	: 11-Mar-2026
		Received	
		Quote number	: PR2024VERCA-CZ0001 (CZ-114-24-0000)
Site	: ----	Date of test	: 12-Mar-2026 - 27-Mar-2026
Sampled by	: zákazník	QC Level	: ALS CR Standard Quality Control Schedule

General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory. The laboratory is not responsible for the sample data supplied by the customer and their impact on the validity of the result.

The laboratory declares that the test results relate only to the listed samples. If "ALS" is not included in the test report in the "Sampled by" section, then the results refer to the sample as received.

Responsible for accuracy

Testing Laboratory No. 1163
Accredited by CAI according to
CSN EN ISO/IEC 17025:2018

Signatories

Eliška Bašťařová

Position

Site Manager Food



GMP+ Registered Laboratory-GMP050490

The company is certified according to ČSN EN ISO 14001 (Environmental management systems) and ČSN ISO 45001 (Occupational health and safety management systems)

Sample Information

No. of samples received : 1

Date Samples Received

No. of samples analysed : 1

11-Mar-2026 09:00

When sampling date is not provided by the client, the laboratory determines it for procedural reasons, then it is equal to the date of receipt of the sample to the laboratory and is displayed in brackets.

Sub-Matrix : DIETARY SUPPLEMENT

Laboratory sample ID	Client sample ID	Client sampling date / time
FP2605754-006	Reishi	04-Mar-2026



Analytical Results

Sub-Matrix: DIETARY SUPPLEMENT				Laboratory sample ID		Client sampling date / time		FP2605754-006		-----		-----	
				04-Mar-2026		----		----		----		----	
Parameter	Method	LOR	Unit	Result	MU	Result	MU	Result	MU	Result	MU	Result	MU
Microbiological Parameters													
Escherichia coli	B-EC1	10	CFU/g	<10	---	----	----	----	----	----	----	----	----
Moulds	B-YEMOU1	10	CFU/g	<10	---	----	----	----	----	----	----	----	----
Yeast	B-YEMOU1	10	CFU/g	<10	---	----	----	----	----	----	----	----	----
Total Metals / Major Cations													
Lead	B-METMSDGL	0.010	mg/kg	0.012	± 20.0%	----	----	----	----	----	----	----	----
Mercury	B-HG-AMADT	0.030	mg/kg	<0.030	---	----	----	----	----	----	----	----	----
Tin	B-METMSDT2	0.10	mg/kg	<0.10	---	----	----	----	----	----	----	----	----
Cadmium	B-METMSDGL	0.0050	mg/kg	<0.0050	---	----	----	----	----	----	----	----	----
Arsenic	B-METMSDGL	0.10	mg/kg	<0.10	---	----	----	----	----	----	----	----	----

Measurement uncertainty is expressed as expanded measurement uncertainty with coverage factor k = 2, representing 95% confidence level.
Key: LOR = Limit of reporting; MU = Measurement Uncertainty. The MU does not include sampling uncertainty.

Brief Method Summaries

Analytical Methods	Method Descriptions
<i>Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00</i>	
B-EC1	CSN ISO 16649-2. Enumeration of beta-glucuronidase-positive Escherichia coli by cultivation.
B-HG-AMADT	CZ_SOP_D06_09_024 (ČSN 75 7440) Determination of Hg by atomic absorption spectrometry. Sample was homogenized and mineralized by acids and hydrogen peroxide prior to analysis.
B-METMSDGL	CZ_SOP_D06_09_002 (US EPA 200.8, ČSN EN ISO 17294-2, ČSN EN 15111) Determination of elements by mass spectrometry with inductively coupled plasma and stoichiometric calculations of compounds concentration from measured values. Sample was homogenized and mineralized by acids and hydrogen peroxide prior to analysis.
B-METMSDT2	CZ_SOP_D06_09_002 (US EPA 200.8, ČSN EN ISO 17294-2, ČSN EN 15111) Determination of elements by mass spectrometry with inductively coupled plasma and stoichiometric calculations of compounds concentration from measured values. Sample was homogenized and mineralized by acids and hydrogen peroxide prior to analysis.
B-YEMOU1	CSN ISO 21527-1; CSN ISO 21527-2 . Enumeration of yeasts and moulds by cultivation.

The symbol "*" for the method indicates a test outside the scope of accreditation of the laboratory or subcontractor. If the UNICO-SUB code is stated in the method table, this only informs that the tests have been performed by a subcontractor and the results are given in an annex to the test report, including information on test accreditation. If the lab used for matrix outside the scope of accreditation or non-standard sample matrix procedure specified in the accredited method and issues non-accredited results, this fact is stated on the title page of this protocol in the section "Notes". If the test report shows the results of subcontracting, the place of performance of the test is outside the laboratories of ALS Czech Republic, s.r.o.

The method for calculating of the summation parameters is available on request in the customer service.

The end of the certificate of analysis



Institut Kurz GmbH - Nattermannallee 1 · 50829 Köln

Markéta Dvořáková

Tschechien

FS

Köln, 30.07.2024

Seite 1 von 4

Prüfbericht 24002833

Bezeichnung der Probe: Reishi
Probennummer: 24002833
Probeneingang: 11.07.2024, 16:25 Uhr, Kurier
Anzahl der Proben: 2
Einsender: siehe oben
Probeneingangstemp. [°C]: ungekühlt
Verpackung: Kunststoffbehälter mit Kunststoffschraubdeckelverschluss
und bedrucktem Klebeetikett
Untersuchungsauftrag: Chemische Untersuchung
Charge / Lot: 04220224
Mindestens haltbar bis: 220222026
Probenbeschreibung: Reishi
Food Supplement
60 Kapseln, 43.4 g
Untersuchungsbeginn: 11.07.2024
Untersuchungsende: 30.07.2024

Chemische Untersuchung

Bezeichnung	Ergebnis	Einheit	Methode
1,3-1,6 Beta-Glucan	51,8	g/100 g	IK2354, Photometrie nach enzym. Aufschluss

"<": der angegebene Wert entspricht der Bestimmungsgrenze

Die Prüfergebnisse beziehen sich ausschließlich auf das Prüfgut.
Bei den mit „+“ gekennzeichneten Methoden handelt es sich um akkreditierte Prüfverfahren. Die mit „++“ gekennzeichneten Untersuchungen wurden durch einen akkreditierten Unterauftragnehmer durchgeführt. Dieser Bericht darf nur unverändert und als Ganzes, nicht auszugsweise oder verändert, vervielfältigt werden.



zu Prüfbericht 24002833



i.A. Fabian Scholz

staatl. gepr. Lebensmittelchemiker